

For price requests and technical information
please contact us:

Phone: +49 (0) 9321 / 38308 – 0
 Fax: +49 (0) 9321 / 38308 – 69
 E-Mail: sales@abrasiveplant-technology.com

PRODUCT LIST SPECIAL EQUIPMENT DENTAL BURRS
 TYPE 460-3

01.03.16

Pos.	Quant.	Unit	Designations, dimensions, etc.
------	--------	------	--------------------------------

SPECIAL EQUIPMENT
 =====
 FOR MANUFACTURING OF
 =====
 DENTAL BURRS FG
 =====
 - TYPE 460-3/002
 =====

I Fixtures

01	pc	Holder for degreasing, activation and Nickelstrike HVD-003 Part no.: 0100 0265 Customs-Declaration no.: 85439000
----	----	---



Fig. 01

Pos.	Quant.	Unit	Designations, dimensions, etc.
------	--------	------	--------------------------------

Holder for diamond tackdown fixture and diamond retaining sieve DAV incl. integrated titanium auxiliary anode and electrolyte rinsing connection

Customs-Declaration no.: 85439000

- | | | |
|----|----|--|
| 02 | pc | - for grit size > 50 Micron (DAV-D/002-30)
Part-no. 0100 0260 |
| 03 | pc | - for grit size > 25 Micron (DAV-D/003-10)
Part-no. 0100 0261 |
| 04 | pc | - for grit size > 25 Micron (DAV-D/003-5)
Part-no. 0100 0399 |



Fig.02

Diamond tackdown fixture for contact fixture
 KLD 3 - Ø 1.6
 for 252 piece fixture

Customs-Declaration no.: 85439000

- | | | |
|----|----|--|
| 05 | pc | - for grit size > 50 Micron (DIA 3-D/001-30)
Part no. 0100 0262 |
| 06 | pc | - for grit size ≥ 25 Micron (DIA 3-D/001-15)
Part no. 0100 0263 |



Fig. 03

Pos.	Quant.	Unit	Designations, dimensions, etc.
------	--------	------	--------------------------------

07 pc Diamond tackdown fixture for 252 piece contact fixture KLD 3
 - for grit size > 10 Micron (DIA 3-D/001-5)
 Part no.: 0100 0400
 Customs-Declaration no.: 85439000

08 pc Lower part for diamond tackdown fixture incl. rinsing connection
 - for grit size ≥ 10 Micron, 3FG (DIA 3-U/001)
 Part no.: 0100 0401
 Customs-Declaration no.: 85439000



Fig. 04

09 pc Contact fixture KLD 3-FG/002 for FG-313, 314, 315 (Ø 1,6)
 - for 252 dental burrs / contact fixture – triple row
 - at a ordered quantity of :

5 - 9 pcs	3%
10 - 24 pcs	5%
25 - 49 pcs	10%
50 - 99 pcs	15%
100 - 249 pcs	20%
250 - 499 pcs	25%
500 - 749 pcs	30%
750 - 999 pcs	32%
1000 -	35%

Part no.: 0100 0252
 Customs-Declaration no.: 85439000



Fig. 05

Pos.	Quant.	Unit	Designations, dimensions, etc.
10		pc	Contact fixture KLD 3-FG/002 - K for FG-short shank (Ø 1.6) - for 252 dental burrs / contact fixture – triple row - at a ordered quantity of : 5 - 9 pcs 3% 10 - 24 pcs 5% 25 - 49 pcs 10% 50 - 99 pcs 15% 100 - 249 pcs 20% 250 - 499 pcs 25% 500 - 749 pcs 30% 750 - 999 pcs 32% 1000 - 35% Part no.: 0100 0253 Customs-Declaration no.: 85439000 (see Fig. 05)
11		pc	Contact plug for contact fixture KLD Part no.: 0100 0123 Customs-Declaration no.: 85444290



Fig. 06

12		pc	Blind cathode connecting part for contact fixture Part no.: 0100 0135 Customs-Declaration no.: 72209080
----	--	----	---



Fig. 07

Pos.	Quant.	Unit	Designations, dimensions, etc.
------	--------	------	--------------------------------

13 pc Holder for contact fixture for pre-nickel and finish nickel incl. shielding and blind cathode fixture and integrated titanium auxiliary anode not including wire
 VFN-D/003
 Part no.: 0100 0270
 Customs-Declaration no.: 85439000



Fig. 08

Insertion tools for blanks of dental burrs into contact fixture
 Customs-Declaration no.: 82042000
 14 pc - Standard
 Part no.: 0100 0266
 15 pc - for very pointed blanks
 Part no.: 0100 0267



Fig. 09

Pos.	Quant.	Unit	Designations, dimensions, etc.
------	--------	------	--------------------------------

16 pc Removal plier for plated dental burrs from the contact fixture
 Part no.: 0100 0188
 Customs-Declaration no.: 82032000




Fig. 10

17 set Rinsing pump insert for dental burrs (1 set = 3 parts)
 Part no.: 0100 0258
 Customs-Declaration no.: 85439000






Fig. 11

II Replacement and wear parts

18 Roll Plastic isolated wire for blind cathode fixture (1 roll = 100 m)
 Part no.: 0100 0138
 Customs-Declaration no.: 85444995



Fig. 12

Pos.	Quant.	Unit	Designations, dimensions, etc.
19		pc	Assembled plastic insulated wire for blind cathode fixture, for immediate use Part no.: 0100 0268 Customs-Declaration no.: 74081990
			
<p>Fig. 13</p>			
20		pc	O-rings 1.5 x 1.5 for contact fixture FG at an ordered quantity of: - up to 1500 pcs - 1500 pcs – 2000 pcs - over 2000 pcs Part no.: 0100 0139 Customs-Declaration no.: 39269097
21		pc	
22		pc	
			
<p>Fig. 14</p>			
23		pc	Flat head slot screw M5 x 16 of titanium for contact fixture FG Part no.: 0100 0280 Customs-Declaration no.: 81089090 (not illustrated)
24		pc	Flat head slot screw M3 x 8 of titanium for contact fixture FG Part no.: 0100 0975 Customs-Declaration no.: 81089090 (not illustrated)
25		Tube	Liquid rubber (47.5 g tube) Part no.: 0100 0022 Customs-Declaration no.: 32141010 (not illustrated)

Pos.	Quant.	Unit	Designations, dimensions, etc.
------	--------	------	--------------------------------

26 pc Contact module with 12 slots for contact fixture KLD 3 – FG / 002
 Part no.: 0100 0251
 Customs-Declaration no.: 85439000




Fig. 15

27 pc Contact module with 12 slots for contact fixture KLD 3 – FG / 002-K for short shank
 Part no.: 0100 0250
 Customs-Declaration no.: 85439000
(siehe Fig. 15)