

For price requests and technical information
please contact us:

Phone: +49 (0) 9321 / 38308 – 0
 Fax: +49 (0) 9321 / 38308 – 69
 E-Mail: sales@abrasiveplant-technology.com

**PRODUCT LIST: SPARE and WEAR PARTS for FLEXIBLE
DISCS CONTACT FIXTURE**

01.03.16

Pos.	Quant.	Unit	Designations, dimensions, etc.
------	--------	------	--------------------------------

SPARE and WEAR PARTS
 =====
for FLEXIBLE DISCS CONTACT FIXTURE
 =====

Contact and holding block
 for disc Ø
 Customs-Declaration no.: 85439000



Pos. 01-02

Fig. 01			
01	pc	- Ø 7 – 25 mm	
		Part no.:	0100 1000
02	pc	- Ø 30 – 45 mm	
		Part no.:	0100 1001

Pos.	Quant.	Unit	Designations, dimensions, etc.
------	--------	------	--------------------------------

Contact part for flexible discs, brass

Customs-Declaration no.: 74092900



Pos. 03-04

Fig. 02

- | | | |
|----|----|---|
| 03 | pc | - Ø 3 mm, Bore Ø 1,6 mm, L = 5,14 mm
Part no.: 0100 1002 |
| 04 | pc | - Ø 3 mm, Bore Ø 1,7 mm, L = 5 mm
Part no.: 0100 1003 |

**Spacer for electro-plating, PVC gray,
for diamond inner ring Ø:**

Customs-Declaration no.: 85439000



Pos. 05 - 32

d = 5,1 mm

Fig. 03

- | | | |
|----|----|---|
| 05 | pc | - Ø 3,5/2,2 mm (including brass contact piece)
Part no.: 0100 1004 |
| 06 | pc | - Ø 5,0/3,0 mm (including brass contact piece)
Part no.: 0100 1005 |
| 07 | pc | - Ø 6,0/3,0 mm (including brass contact piece)
Part no.: 0100 1006 |
| 08 | pc | - Ø 6,5/3,0 mm (including brass contact piece)
Part no.: 0100 1007 |
| 09 | pc | - Ø 7,0/3,2 mm
Part no.: 0100 1091 |
| 10 | pc | - Ø 7,0/4,0 mm
Part no.: 0100 1008 |
| 11 | pc | - Ø 8,0/4,0 mm
Part no.: 0100 1009 |
| 12 | pc | - Ø 8,5/4,5 mm
Part no.: 0100 1010 |
| 13 | pc | - Ø 9,0/5,0 mm
Part no.: 0100 1011 |
| 14 | pc | - Ø 9,5/5,5 mm
Part no.: 0100 1012 |
| 15 | pc | - Ø 10/6,0 mm
Part no.: 0100 1013 |
| 16 | pc | Ø 10,5/6,5 mm
Part no.: 0100 1014 |
| 17 | pc | - Ø 11/7,0 mm
Part no.: 0100 1015 |
| 18 | pc | - Ø 12/8,0 mm
Part no.: 0100 1016 |

Pos.	Quant.	Unit	Designations, dimensions, etc.
19		pc	- Ø 13/9,0 mm Part no.: 0100 1017
20		pc	- Ø 14/10 mm Part no.: 0100 1018
21		pc	- Ø 15/11 mm Part no.: 0100 1019
22		pc	- Ø 16/12 mm Part no.: 0100 1020
23		pc	- Ø 17/13 mm Part no.: 0100 1021
24		pc	- Ø 18/14 mm Part no.: 0100 1022
25		pc	- Ø 19/15 mm Part no.: 0100 1023
26		pc	- Ø 24/20 mm Part no.: 0100 1024
27		pc	- Ø 25/21 mm Part no.: 0100 1025
28		pc	- Ø 31/27 mm Part no.: 0100 1026
29		pc	- Ø 33/29 mm Part no.: 0100 1027
30		pc	- Ø 34/30 mm Part no.: 0100 1029
31		pc	- Ø 39/35 mm Part no.: 0100 1030
32		pc	- Ø 40/36 mm Part no.: 0100 1031

**Spacer for electro-plating, PVC red,
 for diamond inner ring Ø:**

Customs-Declaration no.: 85439000



Pos. 33 - - 60

d = 6,0 mm

Fig. 04

33		pc	- Ø 3,5/2,2 mm (including brass contact piece) Part no.: 0100 1114
34		pc	- Ø 5,0/3,0 mm (including brass contact piece) Part no.: 0100 1115
35		pc	- Ø 6,0/3,0 mm (including brass contact piece) Part no.: 0100 1116
36		pc	- Ø 6,5/3,0 mm (including brass contact piece) Part no.: 0100 1117
37		pc	- Ø 7,0/3,2 mm Part no.: 0100 1140
38		pc	- Ø 7,0/4,0 mm Part no.: 0100 1118

Pos.	Quant.	Unit	Designations, dimensions, etc.
39		pc	- Ø 8,0/4,0 mm Part no.: 0100 1119
40		pc	- Ø 8,5/4,5 mm Part no.: 0100 1120
41		pc	- Ø 9,0/5,0 mm Part no.: 0100 1121
42		pc	- Ø 9,5/5,5 mm Part no.: 0100 1122
43		pc	- Ø 10/6,0 mm Part no.: 0100 1123
44		pc	Ø 10,5/6,5 mm Part no.: 0100 1124
45		pc	- Ø 11/7,0 mm Part no.: 0100 1125
46		pc	- Ø 12/8,0 mm Part no.: 0100 1126
47		pc	- Ø 13/9,0 mm Part no.: 0100 1127
48		pc	- Ø 14/10 mm Part no.: 0100 1128
49		pc	- Ø 15/11 mm Part no.: 0100 1129
50		pc	- Ø 16/12 mm Part no.: 0100 1130
51		pc	- Ø 17/13 mm Part no.: 0100 1131
52		pc	- Ø 18/14 mm Part no.: 0100 1132
53		pc	- Ø 19/15 mm Part no.: 0100 1133
54		pc	- Ø 24/20 mm Part no.: 0100 1134
55		pc	- Ø 25/21 mm Part no.: 0100 1135
56		pc	- Ø 31/27 mm Part no.: 0100 1136
57		pc	- Ø 33/29 mm Part no.: 0100 1028
58		pc	- Ø 34/30 mm Part no.: 0100 1137
59		pc	- Ø 39/35 mm Part no.: 0100 1138
60		pc	- Ø 40/36 mm Part no.: 0100 1139

Pos. Quant. Unit Designations, dimensions, etc.

**Seal ring for spacer
 Thickness: appr. 1 mm**

Customs-Declaration no.: 39269097



Pos. 61 - 94

Fig. 05

61	pc	- Ø 3,5/2,0 mm Part no.: 0100 1092
62	pc	- Ø 3,5/2,2 mm Part no.: 0100 1032
63	pc	- Ø 5,0/3,0 mm Part no.: 0100 1033
64	pc	- Ø 6,0/3,0 mm Part no.: 0100 1034
65	pc	- Ø 6,5/3,0 mm Part no.: 0100 1035
66	pc	- Ø 7,0/3,0 mm Part no.: 0100 1036
67	pc	- Ø 7,0/4,0 mm Part no.: 0100 1037
68	pc	- Ø 8,0/3,0 mm Part no.: 0100 1093
69	pc	- Ø 8,0/4,0 mm Part no.: 0100 1038
70	pc	- Ø 8,5/4,5 mm Part no.: 0100 1039
71	pc	- Ø 9,0/5,0 mm Part no.: 0100 1040
72	pc	- Ø 9,5/5,5 mm Part no.: 0100 1041
73	pc	- Ø 10/6,0 mm Part no.: 0100 1042
74	pc	- Ø 10,5/6,5 mm Part no.: 0100 1043
75	pc	- Ø 11/6,0 mm Part no.: 0100 1094
76	pc	- Ø 11/7,0 mm Part no.: 0100 1044
77	pc	- Ø 12/8,0 mm Part no.: 0100 1045
78	pc	- Ø 13/9,0 mm Part no.: 0100 1046
79	pc	- Ø 14/10 mm Part no.: 0100 1047
80	pc	- Ø 15/11 mm Part no.: 0100 1048

Pos.	Quant.	Unit	Designations, dimensions, etc.
81		pc	- Ø 16/12 mm Part no.: 0100 1049
82		pc	- Ø 16/12,5 mm Part no.: 0100 1095
83		pc	- Ø 17/13 mm Part no.: 0100 1050
84		pc	- Ø 18/14 mm Part no.: 0100 1051
85		pc	- Ø 19/13 mm Part no.: 0100 1096
86		pc	- Ø 19/15 mm Part no.: 0100 1052
87		pc	- Ø 23/12 mm Part no.: 0100 1097
88		pc	- Ø 24/20 mm Part no.: 0100 1053
89		pc	- Ø 25/21 mm Part no.: 0100 1054
90		pc	- Ø 31/27 mm Part no.: 0100 1055
91		St	- Ø 34/30 mm Part no.: 0100 1056
92		pc	- Ø 33/29 mm Part no.: 0100 1057
93		pc	- Ø 39/35 mm Part no.: 0100 1058
94		pc	- Ø 40/36 mm Part no.: 0100 1059

Seal ring for spacer

Thickness: appr. 2 mm

Customs-Declaration no.: 39269097



Pos. 95 - 99

Fig. 06

95		pc	- Ø 8,0/4,0 mm Part no.: 0100 1104
96		pc	- Ø 13/9,0 mm Part no.: 0100 1105
97		pc	- Ø 17/13 mm Part no.: 0100 1106
98		pc	- Ø 21/17 mm Part no.: 0100 1107
99		pc	- Ø 25/21 mm Part no.: 0100 1108

Pos.	Quant.	Unit	Designations, dimensions, etc.
------	--------	------	--------------------------------

Seal ring for spacer
Thickness: appr. 2.5 mm

Customs-Declaration no.: 39269097



Pos. 100 - 102

Fig. 07

100	pc	- Ø 28/24 mm Part no.: 0100 1111
101	pc	- Ø 34/30 mm Part no.: 0100 1112
102	pc	- Ø 39/35 mm Part no.: 0100 1113

Locking part (end piece)
for flexible discs contact fixture
for seal ring:

Customs-Declaration no.: 85439000



Pos. 103 - 129

Fig. 08

103	pc	- Ø 3,5 mm (including seal) Part no.: 0100 1060
104	pc	- Ø 5,0 mm (including seal) Part no.: 0100 1061
105	pc	- Ø 6,0 mm (including seal) Part no.: 0100 1062
106	pc	- Ø 6,5 mm (including seal) Part no.: 0100 1063
107	pc	- Ø 7,0 / 4,0 mm Part no.: 0100 1064
108	pc	- Ø 8,0 / 4,0 mm Part no.: 0100 1065
109	pc	- Ø 8,5 / 4,5 mm Part no.: 0100 1066
110	pc	- Ø 9,0 / 5,0 mm Part no.: 0100 1067
111	pc	- Ø 9,5 / 5,5mm Part no.: 0100 1068
112	pc	- Ø 10 / 6,0mm Part no.: 0100 1069
113	pc	- Ø 10,5 / 6,5mm Part no.: 0100 1070

Pos.	Quant.	Unit	Designations, dimensions, etc.
114		pc	- Ø 11 / 7,0 mm Part no.: 0100 1071
115		pc	- Ø 12 / 8,0 mm Part no.: 0100 1072
116		pc	- Ø 13 / 9,0 mm Part no.: 0100 1073
117		pc	- Ø 14 / 10 mm Part no.: 0100 1074
118		pc	- Ø 15 / 11 mm Part no.: 0100 1075
119		pc	- Ø 16 / 12 mm Part no.: 0100 1076
120		pc	- Ø 17 / 13 mm Part no.: 0100 1077
121		pc	- Ø 18 / 14 mm Part no.: 0100 1078
122		pc	- Ø 19 / 15 mm Part no.: 0100 1079
123		pc	- Ø 24 / 20 mm Part no.: 0100 1080
124		pc	- Ø 25 / 21 mm Part no.: 0100 1081
125		St:	- Ø 31 / 27 mm Part no.: 0100 1082
126		St	- Ø 34 / 30 mm Part no.: 0100 1083
127		pc	- Ø 38 / 33 mm Part no.: 0100 1084
128		pc	- Ø 39 / 35 mm Part no.: 0100 1085
129		pc	- Ø 40 / 36 mm Part no.: 0100 1086

Pos.	Quant.	Unit	Designations, dimensions, etc.
------	--------	------	--------------------------------

130 pc **Contact plug for contact and holding block for flexible discs**
 Part no.: 0100 0167
 Customs-Declaration no.: 85444290



Pos. 130

Fig. 09

131 pc **Titanium quick-lock nut**
 Part no.: 0100 1088
 Customs-Declaration no.: 81089090



Pos. 131

Fig. 10

O-rings for contact block
 Customs-Declaration no.: 39269097
(not illustrated)

132 pc - Ø 6 x 2
 Part no.: 0100 1089
 133 pc - Ø 16 x 2,5
 Part no.: 0100 1090